

MM-601B - Dynamomètre portable

Le MM-601B est un appareil de mesure de force de l'électrode pour les soudeurs par résistance. En changeant le capteur de cellule de charge, il est à même de mesurer des pressions de soudage de 0,20 kg à 950 kg (0,44 à 2 111 lbs).

Caractéristiques MM-601B - Dynamomètre portable

- Fonctionnement simple basé sur micro-ordinateur
- Large plage de mesures
- Détermination automatique de la plage de mesures
- Grand écran à cristaux liquides faciles à lire
- Remise à zéro par pression sur un bouton
- Portable et facile à transporter
- Façade hautement résistante à la poussière et à la vapeur d'huile


AMADA WELD TECH

Specifications MM-601B - Dynamomètre portable

Modèle	MM-601B		
Plage de mesure	0.20-9.50 kgf / 0.20 -9.31 daN (MA-520)		
Plage de mesure	2.00-95.0 kgf / 2.00 -93.1 daN (MA-521)		
Plage de mesure	20.0-950 kgf / 20.0 - 931 daN (MA-522)		
Précision de mesure	+/- 5% of full scale		
Display	Decimal point & unit: Automatically display depending on measuring range. (kg/daN selectable)		
Display	Overload: Display "OVER!!" and sound intermittent buzzer		
Display	Charging alert: "BATTERY" flashes (After flashing seven times, power is turned off automatically.)		
Arrêt automatique	Turn off the power after seven minutes without any key operation		
Arrêt automatique	When not connected with a sensor, automatically turn the power off after three minutes		
Sortie analogique	Output voltage: 4 mV per count, no-load resistance: 5 kohm or over		
Force sensor*	MA-520 / MA-521 / MA-522		
Ambient Temperature	0 to 40 °C		
Exigences de puissance	Nickel hydrate battery 1.2 V x 4 pc. (4.8 V)		
Modèle	MA-520	MA-521	MA-522
Plage de mesure	0-20 - 9.31 daN	2.00 - 93.1 daN	20.0 - 931 daN
SWL	9.31 daN	93.1 daN	931 daN
AL	1.5 times of SWL	1.5 times of SWL	1.5 times of SWL
Précision de mesure	+/- 3% of SWL	+/- 3% of SWL	+/- 3% of SWL
Poids	200 g	200 g	250 g

AMADA WELD TECH

Drawings MM-601B - Dynamomètre portable



AMADA WELD TECH

Product applications MM-601B - Dynamomètre portable



MA-521/MA522


AMADA WELD TECH

OUR TECHNOLOGIES


















OUR SALES OFFICES



AMADA WELD TECH

AMADA WELD TECH GmbH
Lindberghstrasse 1 • DE-82178 Puchheim, Germany
T: +49 (0) 89 83 94 030 • Fax : +49 (0) 89 839403 68
infode@amadaweldtech.eu • www.amadaweldtech.eu
ISO 9001 Certified Company

Please contact our worldwide network here:

follow us on:

All data, images and text are subject to change at any time. AMADA WELD TECH GmbH reserves the right to change, modify, delete and add technical specifications and product details at any time without prior notification. © 2020 AMADA WELD TECH GmbH.

WWW.AMADAWELDTECH.EU